



MEGA FORTRIS
G R O U P

PRODUCT CATALOGUE



PREVENTION · PROTECTION · PEACE OF MIND

SECURING THE GLOBAL SUPPLY CHAIN



Preferred World Class Supplier
In The Security Seals Industry




Incorporated in 1996, the Mega Fortris Group of companies is a leading manufacturer and specialised designer of security seals, tamper-evident products, and complete solutions for the securing of goods-in-transit. As one of the largest security seals manufacturers in the world, our Malaysian-based headquarters houses a purpose-built manufacturing plant that is certified with ISO 9001 and 14001 Quality Management Systems.



Mega Fortris provides high quality security seals to industry leaders in the land, sea, rail and air transport sectors. Our products and services have enabled us to secure customers from all over the globe in various industries such as courier/postal, chemicals, oil and gas, food and beverages, pharmaceuticals, ICT, hospitality, security companies, banks and manufacturing.

Our focus on integrity, innovation and commitment to the development of our designs and products to meet the most discerning of customer requirements has led to Mega Fortris continuous and exponential growth.

We have set up a network of production facilities and offices around the world in 25 countries to provide local services with a global reach within a moment's notice. Mega Fortris offers a full range of quality security products at very competitive prices, a winning combination that has led us to become the preferred supplier for many leading companies around the world.



PREVENTION • PROTECTION • PEACE OF MIND

www.mfsecurityseals.uk

TYPES OF LASER MARKING

Barcode | QR code | Sequential numbers | Company name | Company Logo

These are possible marking methods for all the cables, bolts, fixed length, pull tight and application seals



BOLT & BAR SEALS

M: Material **LL:** Locking Length **D:** Diameter
TS: Tensile Strength **TL:** Total Length **A:** Applications
 NY: Nylon PP: Polypropylene (Food Grade) ABS: Acrylonitrile Butadiene Styrene



This product is available in biodegradable alternative.

Color selections available in product datasheet.



Klicker 2K

M : PP HI, hardened steel
TL : 85 mm | 3.35 in
LL : 52 mm | 2 in
D : 7 mm | 0.28 in
TS : >1000 kgf | >2204.6 lbs
A : Containers, trailers
ISO17712 Classified "H"
UK Customs Classified "1"



Klicker

M : PP HI, hardened steel
TL : 85 mm | 3.35 in
LL : 55 mm | 2.2 in
D : 7 mm | 0.28 in
TS : >1000 kgf | >2204.6 lbs
A : Containers, trailers
ISO17712 Classified "H"
UK Customs Classified "1"



Container Bolt Lock

M : ABS, hardened steel
TL : 80 mm | 3.12 in
LL : 51 mm | 2 in
D : 7 mm | 0.28 in
TS : >1000 kgf | >2204.6 lbs
A : Containers, trailers
ISO17712 Classified "H"
UK Customs Classified "1"



MF Bar Seal

M : High strength steel
LL : 52 mm | 2.05 in
D : Bolt - 11.0 mm | 0.43 in
TS : >1000 kgf | >2204.6 lbs
A : Containers, trailers, rail cars
ISO17712 Classified "H"

CABLE SEALS



Mega Cable Lock 350/500

M : Aluminium body with galvanised steel wire
LL : Customisable
D : 3.5/5 mm | 0.14/0.19 in
TS : >1000 kgf | >2204.6 lbs
A : Containers, trailers
ISO classified as "H"
UK Customs Classified "1"



Mega Lock

M : Aluminium body with steel wire; PP HI with hardened steel
LL : Customisable
D : 2.5 mm | 0.14 in
TS : >1000 kgf | >2204.6 lbs
A : Containers, trailers
ISO classified as "H"
UK Customs Classified "2"



Cable Lock

M : Aluminium body with steel wire
LL : Customisable
D : 3.5/5 mm | 0.14/0.19 in
TS : >1000 kgf | >2204.6 lbs
A : Containers, trailers
ISO classified as "H"
UK Customs Classified "1"



Maxi Cable Lock Zinc

M : PP-coated zinc body with galvanised steel wire
LL : Customisable
D : 3.5/5 mm | 0.14/0.19 in
TS : >1000 kgf | >2204.6 lbs
A : Containers, trailers
ISO classified as "H"
UK Customs Classified "1"

CABLE SEALS



M : Aluminium body with galvanised steel wire
LL : Customisable
D : 2.5 mm | 0.098 in
TS : >350 kgf | >771.6 lbs
A : Containers, trailers, rail cars, tote boxes, air cargo



M : PP-coated zinc body with galvanised steel wire
LL : Customisable
D : 2.5 mm | 0.098 in
TS : >450 kgf | >992.08 lbs
A : Containers, trailers, rail cars, tote boxes, air cargo



M : PP-coated zinc body with galvanised steel wire
LL : Customisable
D : 1.8 mm | 0.071 in
TS : >250 kgf | >551.2 lbs
A : Containers, trailers, rail cars, tote boxes, air cargo



M : PP-coated zinc body with galvanised steel wire
LL : Customisable
D : 1.5 mm | 0.059 in
TS : >250 kgf | >551.2 lbs
A : Containers, trailers, rail cars, tote boxes, air cargo



M : Aluminium body with galvanised steel wire
LL : Customisable
D : 1.5 mm | 0.06 in
TS : >120 kgf | >264.5 lbs
A : Trucks, tankers, air cargo, containers, rail cars, valves, tote boxes, air cargo



M : Aluminium body with galvanised steel wire
LL : Customisable
D : 1/1.5/2.5 mm | 0.03/0.059/0.098 in
TS : >100-250 kgf | >220.5-551.2 lbs
A : Containers, trailers, securing cargo

PLASTIC SEALS

Pull Tight Seals

M: Material **LL**: Locking Length **D**: Diameter
TS: Tensile Strength **TL**: Total Length **A**: Applications
NY: Nylon **PP**: Polypropylene (Food Grade) **ABS**: Acrylonitrile Butadiene Styrene




This product is available in biodegradable alternative.
 Color selections available in product datasheet.



M : PP, SUS304 metal jaw
TL : 408/422 mm | 16.1/16.6 in
LL : 340/400 mm | 13.4/15.8 in
TS : >40 kgf | >88.2 lbs
A : Bags, sacks, trucks/trailers, cargo, courier services, tote boxes, roll cages



M : PP, SUS304 metal jaw
TL : 389 mm | 15.3 in
LL : 300 mm | 11.8 in
TS : >20 kgf | >44.1 lbs
A : Bags, documents, goods-in-transit, retail, tote boxes, roll cages, trucks/trailers



M : PP/NY, SUS304 metal jaw
TL : 209/284/327/383 mm | 8.23/11.2/12.9/15.1 in
LL : 128/203/245/301 mm | 5/8/10/12 in
TS : >15 kgf/18 kgf | >33 lbs/39.7 lbs
A : Bags, drums, tote boxes, meters, food/duty-free carts, ATM cassettes, ballot boxes, tote boxes, roll cages



M : PP/NY, SUS304 metal jaw
TL : 422/501/578 mm | 16.6/19.7/22.8 in
LL : 305/381/458 mm | 12/15/18 in
TS : >30 kgf/35 kgf | >66.1 lbs/77.2 lbs
A : Bags, sacks, tanks/trailers, tote boxes, roll cages



M : PP (Food Grade)
TL : 380 mm | 14.9 in
LL : 230 mm | 9.1 in
TS : >25 kgf | 51.1 lbs
A : Roll cages, bags, sacks, trucks/trailers, tote boxes



M : PP, SUS304 metal jaw
TL : 248.8 mm | 9.79 in
LL : 168.2 mm | 6.22 in
TS : >25 kgf | >51.1 lbs
A : Roll cages, retail applications, tote boxes, logistics banking



M : PP, SUS304 metal jaw
TL : 196 mm | 7.7 in
LL : 129 mm | 5 in
TS : >8 kgf/>9 kgf | >17.6 lbs/>19.8 lbs
A : ATM cassettes, money boxes, catering trolleys, fire extinguishers



M : PP/NY, SUS304 metal jaw
TL : TO & LTO 372 mm | 14.7 in
 NT & LNT 372 mm | 14.7 in
LL : 240 mm | 9.5 in
TS : >31 kgf/>68.34 lbf
A : Bags, sacks, tanks/trailers

Fixed Length Seals



M : PP, tin-plated metal strap
TL : 200/270 mm | 7.87/10.6 in
LL : 150/220 mm | 6/9 in
TS : >75 kgf | >165.3 lbs
A : Trucks, tankers, customs, airline cargo, warehouses, roll cages, containers



M : PP (Food Grade)
TL : 255 mm | 10.03 in
LL : 181 mm | 7.1 in
TS : >10 kgf | >22 lbs
A : Trucks, tankers, customs, airline cargo, warehouses, roll cages, containers



M : SSNV - PP | SSN - NY
TL : 224 mm | 8.9 in
LL : 184.4 mm | 7.3 in
TS : >25/35 kgf | >55.1/77.2 lbs
A : Trucks, tankers, customs, airline cargo, warehouses, roll cages, containers

Application Seals



M : PP (Food Grade)
TL : 25 x 19 mm | 0.98 x 0.75 in
LL : 2.8 mm | 0.11 in
TS : >6 kgf | >13.22 lbs
A : Cash boxes, sales trolleys, airline food carts



M : Polycarbonate, Acetal, SUS304 steel
LL : 18 x 14 mm | 0.71 x 0.55 in
D : 1.2 mm | 0.05 in
TS : >30 kgf | >66.1 lbs
A : Utility meters, drums, switches, valves, carts



M : Polycarbonate, Acetal, ABS
LL : Customisable
D : SS wire 0.7 mm | 0.027 in
 CS wire 0.8 mm | 0.031 in
TS : >30 kg | >66.1 lbs
A : Utility meters, scales, drums, gasoline pumps, totes

Environmental Commitment

Mega Fortris Group of Companies has always been committed to developing products that support a sustainable environment and contribute to a better future for all. Globally we are the pioneer in introducing biodegradable options for our customers, holding hand in hand to reduce the plastic impact. Mega Fortris has achieved this by collaborating with Biosphere and incorporating biodegradable additives into our full range of Polypropylene (PP) and Nylon (NY) plastic security seals. Without compromising on functionality or our signature high-shelf and service life, products that are made with BioSphere plastic additives comply with ISO 14021:2016 "Environmental labels and declarations" under the definition of "Biodegradable". Now our plastic seals secure the global supply chain and leave no footprint.



TAMPER EVIDENT TAPES AND LABELS



Leaves no residue on the application surface.
Barcode 128
Duplicate Number Tab
Quantity : 1000 labels per roll
Standard colour : Blue
A : Aircraft exterior doors and panels, catering trolleys, tote boxes, ballot boxes, mobile phones, computer ports, office doors, cupboards, fuel caps, cash boxes, vehicle doors



Leaves no residue on the application surface.
Barcode 128
Duplicate Number Tab
Quantity : 1000 labels per roll
Standard colour : Red
A : Aircraft exterior doors and panels, catering trolleys, tote boxes, ballot boxes, mobile phones, computer ports, office doors, cupboards, fuel caps, cash boxes, vehicle doors



Void message left on the application surface.
Barcode 128
Duplicate Number Tab
Quantity : 1000 labels per roll
Standard colour : Red
A : Sealing boxes and cartons, envelopes, tote boxes, etc



Tape width : 50.8 mm | 2 in
Roll length : 50 m | 164 ft
Core I/D : 76 mm | 3 in
Designed for use on cardboard boxes, packaging and other similar surfaces.
Tamper evident tape that "voids" when removed, with no numbers and no perforations.
Will leave residue on application surface when removed.



Tape width : 50.8 mm | 2 in
Roll length : 50 m | 164 ft
Core I/D : 76 mm | 3 in
Designed for use on cardboard boxes, packaging and other similar surfaces.
Tamper evident tape that "voids" when removed, numbered and perforated every 152.4 mm
Will leave residue on application surface when removed.

LOAD SECURE PRODUCTS

Dunnage Bag



- 100% recyclable
- Reusable
- Meets safety standards
- Suitable for all climate conditions
- Available in many sizes
- ISO 9001:2008 certified



- User friendly
- Reusable
- Meets safety standards
- Suitable for all climate conditions
- Available in many sizes
- ISO 9001:2008 certified



- Easy and safe to use
- No trigger to pull or hold
- One hand operable
- Overflow air stream releases excess air from the top of the inflator
- Fast inflation



- Ergonomic comfort grip handle
- Durable lightweight design
- Cordless allows inflations without the use of compressors and compressed air lines
- Eliminates health and safety issues and cost of compressors
- Supplied with 2 batteries with 3 hours of inflation time per charge
- Fast charging time less than 2 hours

Strapping



Woven Strapping

- Available in sizes from 13 mm – 19 mm
- No damage to painted surfaces
- No corrosion and easy handling
- No risk of injury
- High shock buffer
- A small manageable system




Composite Strap

- Available in sizes from 13 mm – 32 mm
- As strong as steel
- No sharp edges that could damage your products
- Rust/rot resistant
- Resistant to all weather conditions and UV
- High capacity to absorb shocks during transport.



Hotmelt/Bale Strapping

- Available in sizes from 5 mm – 32 mm
- Will not unravel
- Strong and lightweight
- Rust/rot resistant
- No sharp edges that could damage your products



Extruded Polyester Strapping

- Available in many sizes
- Alternative product to steel strapping
- Suitable for heavy duty applications
- Can withstand high tension and rigid loads
- Lightweight, flexible and easy to handle
- Weather resistant



Lashing

- Available in sizes 25 mm – 40 mm
- Linear breaking strength available from 2000 to 5000daN
- High tensile strength
- Certified by Germanischer Lloyd
- No risk of injury in using or opening the lashing




Containerisation



N5/N6 Lashing

- The alternative to complex timber constructions
- Readymade belt system
- Inexpensive solution for cargo securing containers
- Easy hooking four vertical straps into existing container points
- Available in 32 mm and 50 mm
- Protects goods against damage



Quattro Strap

- Uses 8 points instead of 4 to hold a higher weight
- Inexpensive solution for cargo securing containers
- Alternative to more expensive floor or corner lashing
- No expensive metal hooks or metal pieces



Container Awnings

- Prevents goods from tilting, slipping and falling. Four clamping locks which attach to container points
- Woven sheet to protect goods
- Designed for lighter goods such as cartons



Slip Sheets


- Significant reduction in material handling costs
- Decrease loading/unloading time by up to 60%
- Customised to fit any size load
- Eliminates the need for pallet exchange
- Reusable
- Recyclable



**Desiccant Absorpole and
Absorgel Hanging**


- Impact resistant
- Advanced moisture absorption
- Absorption materials are non-toxic and can be disposed of as regular waste
- Recyclable
- Allows as little as 25 mm between cargo and desiccant
- Available in various sizes
- Available for long or short distances
- Simple installation

BUCKLES



Buckles


- Galvanised and phosphate
- Available in sizes from 13 mm – 38 mm
- Made from steel
- Used in combination with woven, composite and hotmelt strapping
- Slip resistant
- Self-locking to maximise holding power
- Corrosion resistant



Buckles and Hooks

- Solid buckle used with 32mm – 40mm lashing
- Made from high quality steel
- Available in sizes from 32 mm – 50 mm
- Maximised protection for your load securing solutions

GENERAL PRODUCTS



Edge Boards

- Economic solution appropriate for a wide range of edge protection requirements
- Made of 100% paper
- Moisture resistant available
- Environmentally friendly, recyclable
- Available in 2 mm – 6 mm thickness
- Lengths from 50 mm to 6000 mm



Dispensers

- Available for both woven and composite strapping
- Easy handling
- Lightweight
- Easy to use
- Solid metal design
- Available in both static and mobile designs




Ratchet Strap

- Available in various lengths
- Available in widths ranging from 25 mm – 75 mm
- Manufactured to En 12195-2:2001
- Custom-made to suit requirements
- Hard wearing webbing



Cambuckle Strap

- Available in widths ranging from 25 mm – 50 mm
- Variety of different coloured webbings
- Made specifically to meet customer requirements
- Printing available
- Registered to ISO9001



Lifting Slings

- Easy to use
- Range of widths and strengths available
- Fully tested in accordance with BS EN 1492-1:2000
- Available in flat web with eyelets or endless sling
- Stronger than rope solutions
- Custom-made to suit your requirements
- Test certificates issued with all orders



Tension Tools

- Available in sizes 20 mm, 25 mm and 40 mm
- Low weight
- Easy handling
- Low maintenance
- Used with all strap sizes
- Low investment costs




Edge protectors

Jumbo


Ks90

- Economic, reusable
- Protects cartons
- Available in various sizes
- Suitable to use with hand and machine strapping
- Various sizes available to suit strapping width



Barrel Brackets

- Prevents strapping from slipping from barrels
- Holds straps up to 50 mm wide
- Various brackets available
- Weatherproof
- Quick and easy to handle



Transit Blankets

- Excellent protection for furniture, antiques and office equipment
- Made from wool mixture with cross stitching for maximum strength
- Standard size 150 cm x 200 cm



Pallet Wrap

- Stretchable plastic film used to wrap around bundles
- Most frequently used with palletised goods
- Available in standard core and extended core
- Various grades available
- Keeps items tightly bound to keep items stable



The first in the industry, **MOST** is a revolutionary product by Mega Fortris, providing users with the power of real-time monitoring. This device offers portability and connectivity to trigger alerts of temperature, humidity, shock, light and location whilst goods are in transit. Easy to install and easy accessed via a web based interface.

With built-in roaming SIM card and up to 100 days of battery life, **MOST** is the best solution for supply chain management.

MOST DEVICE: MARKET-LEADING TECHNOLOGY

- One-touch activation
- 100-day battery life
- Reusable & rechargeable
- 4 digital sensors: temperature, light, humidity, shock
- Location updates via GSM network
- Pre-calibrated for superior, laboratory-tested accuracy
- Strength of MOST antenna allows monitoring of any environment
- Continuously uploads all data via GSM network



MOST CONTROL PANEL: 24/7 DATA ACCESS & REPORTING

- User-friendly mobile interface
- No hardware or software installation
- Completely web based - never lose data
- Sharable device data
- Geofencing
- Tailored reports at the push of a button
- Alarms and notifications via email and SMS

With our user-friendly mobile interface, you can access all your data effortlessly at all times, wherever you are. No installation is required – simply log in. Generate tailored reports at the push of a button and share with any recipient of your choice.

MOST TECHNICAL DATA.

Dimension	Diameter: 125 mm Thickness: 30 mm Weight: 220 g
GSM network	Quad band GSM 850/900/1800/1900MHz GPRS data connectivity Location update every hour*
SIM	Global data roaming
Battery type & life	Lithium-ion 100 days' use** 3 months' storage
Digital light	Triggered by light
Temperature	Temperature measurement range: -20°C to 55°C Temperature accuracy range: ±0.3°C over full
Digital humidity sensor	Default 60 mins measurement and data-sending interval. Upload can be adjusted. Humidity measurement range: 0% to 100% RH Humidity sensor accuracy range: ±2% RH from 0 to 90% ±3% RH from 90 to 100% Relative humidity resolution: 0.01% RH***
Water resistance	IP54 = splash proof
Digital shock sensor	Default 60 mins measurement and data-sending interval. Upload can be adjusted. 3-axis G-sensor
Location update	Within GSM coverage


* **Location update** Within GSM coverage

** **Battery life** Based on hourly sensor readings and GSM uploads, 60 days' use (one-year storage)

*** **Humidity** RH accuracy stated within temperature exposure range of 5°C to 60°C, non-condensing

OUR GLOBAL PRESENCE

Our security solutions are used every day, all over the world.



CORPORATE HEADQUARTERS

Mega Fortris (Malaysia) Sdn. Bhd.
29 Jalan Anggerik Mokara 31/47
Kota Kemuning, Seksyen 31
40460 Shah Alam,
Selangor, MALAYSIA
Tel: +60 3 5122 6118
Fax: +60 3 5121 7118
Web: www.megafortris.com



AUSTRALIA

Mega Fortris Australia Pty Ltd
Unit 2 / 20 Wilmette Place,
Mona Vale NSW 2103
All correspondence to:
PO Box 408, Mona Vale NSW 1660
Tel: +02 9999 2324
Fax: +02 9999 2338
Web: www.megafortris.com.au



CHINA

Shaoxing Mega Fortris
Qi Yang Gong Lu, Qi Xian Town
Shaoxing County, Zhejiang Province
312065 CHINA
Tel: +86 575 557 7685
Fax: +86 575 557 7682



DENMARK

Mega Fortris (Europe) ApS Ltd.
Aa. Louis-Hansens Alle 4,
3060 Espergerde DENMARK
Tel: +45 7023 0104
Fax: +45 4912 2474
Email: mfeuoffice@megafortris.com
Website: www.megafortris.eu



FRANCE

Mega Fortris France SAS
Acticentre, Bât K
156 Rue des Farnards
59273 Fretin, FRANCE
Tel: +33 320 976 425
Fax: +33 320 320 175
Web: www.megafortris.fr



HONG KONG

Mega Fortris (HK) Limited
14th Floor Shui Fung Comm Bldg,
51 Johnston Road
Wan Chai, HONG KONG
Tel: +85 2 3149 6612
Fax: +85 2 3149 6607



HUNGARY

Mega Fortris HU Kft.
H-1119 Budapest,
Fehervari ut 83-85
HUNGARY
Tel: +361 481 0648
Fax: +361 205 5815
Web: www.megafortris.hu



INDONESIA

PT Mega Fortris Indonesia
Jalan Ciputat Raya No 2,
Kebayoran Lama,
Jakarta 12240, INDONESIA
Tel: +62-21-723 8322 / 723 8323
Email: darwin.bachtar@megafortris.cocm



NETHERLANDS

Mega Fortris BNL B.V
Laan van Verhof 49
2231 BZ Rijnsburg
NETHERLANDS
Tel: +31 8 5006 5330
Web: www.megafortris.nl



NEW ZEALAND

Mega Fortris New Zealand Limited
Unit 1C, 24 Harris Road,
East Tamaki 2013, Auckland
PO Box 58-397, Botany 2163, Auckland
NEW ZEALAND
Tel: +64 9 2650262
Fax: +64 9 2650264
Email: sales@securityseals.co.nz
Web: www.megafortris.co.nz



SINGAPORE

Mega Fortris (Singapore) Pte Ltd
11 Woodlands Close
#04-12 Woodlands 11
737853 SINGAPORE
Tel: +65 6296 1118
Fax: +65 6877 9450
Web: www.megafortris.com.sg



SPAIN

Mega Fortris Ibérica, S.L.
Poligono Industrial Santa Rita
C/Optica nº 13 Nave nº3
08755 Castellbisbal, Barcelona, SPAIN
Tel.: +34 607 22 26 90
E-mail: jaime.baucells@megafortris.com
/ spain@megafortris.com
Web: www.megafortris.es



SWEDEN

Mega Fortris Load Secure Nordic ApS
Box 1020, SE-251 10 Helsingborg
SWEDEN
Tel: +46 42 300 92 50
Fax: +46 42 300 90 40
E-mail: rickard.nilsson@megafortris.se
Web: www.megafortris.se



UNITED ARAB EMIRATES

Mega Fortris ME FZCO
P.O. Box 341329,
Light Industrial Unit B1,
LIU - Phase 4, Dubai Silicon Oasis,
Dubai, UNITED ARAB EMIRATES
Tel: +45 7023 0104
Fax: +45 4912 2474
Web: www.megafortris.se



UNITED KINGDOM

Mega Fortris (UK) Ltd
Unit 18 Cinder Road Zone 3
Burntwood Business Park
Burnwood, Staffordshire WS7 3FS
UNITED KINGDOM
Tel: +44 1543 677256/7
Fax: +44 1543 677259
Web: www.mfsecurityseals.uk



UNITED STATES OF AMERICA

Mega Fortris Americas, Inc.
Ridge Road, 174 #D
Dayton, New Jersey 08810
UNITED STATES OF AMERICA
Tel: +1 732 230 3015
Fax: +1 732 230 3367
Email: claus.holmelund@megafortris.com
Web: www.megafortrisusa.com

AUTHORISED DISTRIBUTORS



BRAZIL

Petroplast Indústria de Fitas e Selos Ltda.
Rua Abrão de Souza e Silva, 1455,
Galpão 01, Bairro Bateas, Brusque/SC,
88.355-570 BRAZIL
Tel: +55 11 97507-5639
Email: rodrigo@petroplast.com.br



ECUADOR

Gusber S.A.
Guayaquil – ECUADOR
Tel: +593 4 462 6364 / +593 4 462 6365
Mobile: +593 96 830 2324
Email: ventas@gusber.com;
asistente@gusber.com
Web: www.gusber.com



JAPAN

MT Security Japan Co. Ltd
102 Shohonipori, 6-45-14
Higashinipori Arakawaku,
Tokyo 116-0014, JAPAN
Tel: +81 90 6044 7775
Email: mtsjapan2017@megafortris.com



MYANMAR

Myanmar Furness
101-102, 1st Floor, WWW Tower,
No. 107-109, Anawatha Road,
Corner of Sint Owe Dan Street,
Latha Township, Yangon, MYANMAR
Tel: +95 1 253 609
Fax: +95 1 245 170
Email: petergfc@gmail.com



PAKISTAN

Dynamic Seals
D-5, 4th Floor, Tha Plaza
Block - 6, P.E.C.H.S, Nursery
Main Shahr - e - Faisal
Karachi, PAKISTAN
Tel: +92 21 3459 186 / +92 300 2850 114
Fax: +92 21 3430 401
Email: hussain@dynamicseals.com.pk



PANAMA

Sistemas Ford, S.A (FIS)
Edificio FORTASA, Local #3A
Calle Primera y Avenida 80B Oeste
Miraflores – Bethania
Panamá, REPUBLICA DE PANAMA
Tel: +507 229-1880 / +1 (786) 347-6249 (USA)
Email: ventas@sistemasford.com,
sales@sistemasford.com



PERU

Mega Fortris South America S.A.
Planta: Lote 1 Mz N, Indupark Chilca
Oficina: Av. El Sauce 145 Surquillo
Lima, Peru
Email: ventas.sa@megafortris.com



PHILIPPINES

Mega Fortris Philippines Inc
Unit 513, 5/F Peninsula Court
8735 Paseo de Roxas
Corner Makati Avenue
Makati City 1226 PHILIPPINES
Tel: +632 812 8940
Fax: +63 2 812 812 8653
Email: megafort@pltdtdsl.net



SOUTH AFRICA

Solved Distribution Solutions (Pty) Ltd
Unit 13
Bush Hill Glades
Dolweni Avenue
Boskruin, Johannesburg
SOUTH AFRICA
Tel: +27 82574 7340
Email: jeanpierre@solvedds.com



SOUTH KOREA

Seowoo Security Products Ltd.
53-2, 1362, Beodeul-ro,
Palton-myeon,
Hwasung-Si,
Kyunggi-Do, 18578
SOUTH KOREA
Tel: +82 31 354 4164
Fax: +82 31 354 4165
Email: swap@security.co.kr



THAILAND

MMA Security Seals (Thailand) Co. Ltd.
98 Athakrabi Building
1st Floor Soi Sukhumvit,
26 Sukhumvit Road
Klongton, Klongtoey,
Bangkok 10110 THAILAND
Tel: +66 2 259 7142 / 4
Fax: +66 2 259 7145
Email: Jenjira.s@megafortris.com



VIETNAM

Blue Dragon Trading Services and Consulting Ltd
74 Dinh Tien Hoang St,
Da Kao Ward, Dist 1,
Ho Chi Minh City,
VIETNAM
Tel: +84-8-3984 1780
Fax: +84-8-83984 1837
Email: Jenjira.s@megafortris.com

PREVENTION · PROTECTION · PEACE OF MIND

www.mfsecurityseals.uk



Date:



**SECURE YOUR ASSETS WITH
MEGA FORTRIS**



Date:

PREVENTION · PROTECTION · PEACE OF MIND
www.mfsecurityseals.uk

www.mfsecurityseals.uk

PREVENTION · PROTECTION · PEACE OF MIND